What Is Claimed Is:

- 1. An isolated *Bacillus thuringiensis* hybrid toxin fragment, comprising:
 - at a C-terminus of said fragment, domain III of a first Cry protein; and
 at an N-terminus of said fragment, an N-terminal region of a second Cry protein.
- 2. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 1, wherein said first Cry protein is CryIC.
- 3. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 1, wherein said second Cry protein is selected from the group consisting of CryIA, CryIE, and CryIG.
- 4. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 3, wherein said second Cry protein is CryIA.
- 5. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 3, wherein said second Cry protein is CryIE.
- 6. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 3, wherein said second Cry protein is CryIG.
- 7. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 1, wherein said first Cry protein is CryIC, and wherein said second Cry protein is CryIA, CryIE, or CryIG.
- 8. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 1, wherein said N-terminal region of said second Cry protein comprises domain II of said second Cry protein.
- 9. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 1, wherein said N-terminal region of said second Cry protein comprises domains I and II of said second Cry protein.
- 10. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 1, wherein said C-terminus comprises the sequence from amino acid position 454 to position 602 of Cry IC, or a

sequence substantially similar to said sequence from amino acid position 454 to position 602 of Cry IC.

- 11. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 10, wherein said C-terminus comprises the sequence from amino acid position 454 to position 602 of SEQ ID NO:2, or a sequence substantially similar to said sequence from amino acid position 454 to position 602 of SEQ ID NO:2.
- 12. An isolated Bacillus thuringiensis hybrid toxin fragment according to claim 1, wherein said C-terminus comprises the sequence from amino acid position 478 to 602 of Cry IC, or a sequence substantially similar to said sequence from amino acid position 478 to 602 of Cry IC.
- 13. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 12, wherein said C-terminus comprises the sequence from amino acid position 478 to position 602 of SEQ ID NO:2, or a sequence substantially similar to said sequence from amino acid position 478 to position 602 of SEQ ID NO:2.
- 14. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 1, comprising a sequence selected from the group consisting of:
 - a) amino acids 1-620 of SEQ ID NO:6;
 - b) amino acids 1-620 of SEQ ID NO:6, wherein at least one of the following substitutions is present:

Ile at position 609 is replaced with Leu,
Ala at position 618 is replaced with Glu,
Ser at position 620 is replaced with Tyr; and

- c) a sequence substantially similar to amino acids 1-620 of SEQ ID NO:6.
- 15. An isolated *Bacillus thuringiensis* hybrid toxin fragment according to claim 1, comprising a sequence selected from the group consisting of:
 - a) amino acids 1-627 of SEQ ID NO:8;
 - b) amino acids 1-627 of SEQ ID NO:8, wherein at least one of the following substitutions is present:

Ile at position 617 is replaced with Leu, Ala at position 625 is replaced with Glu, Ser at position 627 is replaced with Tyr; and

- a sequence substantially similar to amino acids 1-627 of SEQ ID NO:8. c)
- 16. An isolated Backlus thuringiensis hybrid toxin fragment according to claim 1, comprising a sequence selected from the group consisting of:
 - amino acids 1-602 of SEQ ID NO:12; and a)
 - a sequence substantially similar to amino acids 1-602 of SEQ ID NO:12. b)
- An isolated DNA molecule encoding a protein that comprises the amino acid sequence of 17. the hybrid toxin fragment of claim 1)
- Anisolated DNA molecule encoding a protein that comprises the amino acid sequence of 18. the hybrid toxin fragment of claim 14.
- An isolated DNA molecule encoding a protein that comprises the amino acid sequence of 19. the hybrid toxin fragment of claim 15.
- An isolated DNA molècule encoding a protein that comprises the amino acid sequence of 20. the hybrid toxin fragment of claim 16.
- 21. An isolated Bacillus thuringiensis hybrid toxin fragment according to claim 1, wherein said hybrid toxin fragment binds to a binding site in an insect gut that is different than the site bound by said first Cry protein.
- 22. An isolated DNA molecule according to claim 17, which further encodes a protein having at least one of the following properties: herbicide resistance, plant growth-promoting, anti-fungal, anti-bacterial, anti-viral, and anti-nematode properties.
- 23. An isolated DNA molecule according to claim 17, which is modified to optimize expression in a heterologous host, said modifications selected from the group consisting of codon optimization for the intended host and removal of known mRNA instability motifs or polyadenylation signals.

- 24. An isolated DNA molecule that is complementary to the DNA molecule of claim 17.
- 25. A recombinant vector comprising the DNA molecule of claim 17.
- 26. An isolated cell transformed with the DNA molecule of claim 17.
- 27. A plant transformed with the DNA molecule of claim 17, wherein the progeny of such plant contains the DNA molecule stably incorporated and heritable in a Mendelian manner.
- 28. Seeds of the plant of claim 27.
- 29. Rrotein derived from expression of the DNA molecule of claim 17.
- 30. An insecticidal composition comprising the hybrid toxin fragment of claim 1.
- 31. A process for controlling insects, comprising exposing them to the insecticidal composition of claim 30.
- 32. A method of producing a protein, comprising expressing the DNA molecule of claim 17.
- 33. An insecticidal composition comprising the isolated cell of claim 26.
- 34. A process for controlling insects, comprising exposing them to the insecticidal composition of claim 33.
- 35. An isolated *Bacillus thuringiensis* hybrid toxin fragment, comprising amino acids 1-602 of SEQ ID NO:12.
- 36. An isolated *Bacillus thuringiensis* hybrid toxin fragment that has at least 95% sequence identity with, and has substantially the same insecticidal specificity and substantially the same insecticidal activity as the hybrid toxin fragment of claim 35.
- 37. An isolated DNA molecule encoding a protein that comprises the sequence of the hybrid toxin fragment of claim 35.



- 38. An isolated DNA molecule encoding a protein that comprises the sequence of the hybrid toxin fragment of claim 36.
- 39. An isolated DNA molecule that comprises the sequence of nucleotides 1-1806 of SEQ ID NO:11.
- 40. An isolated DNA molecule that hybridizes to the DNA molecule of claim 39 under the following set of conditions: hybridization at 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO₄ pH 7.0, 1 mM EDTA at 50°C; wash with 2X SSC, 1% SDS, at 50°C.